# TITLE 326 AIR POLLUTION CONTROL BOARD

# Draft Rule #97-3(APCB)

### **DIGEST**

Amends 326 IAC 6-1-9, Dubois County particulate emission limitations. Effective 30 days after filing with the secretary of state.

# **HISTORY**

First Notice of Comment Period: March 1, 1997, Indiana Register (20 IR 1649). Second Notice of Comment Period and Notice of First Hearing: November 1, 1997, Indiana Register (21 IR 834).

Notice of Rescheduled Hearing: February 1, 1998, Indiana Register (21 IR 1793). Date of First Hearing: March 4, 1998.

### 326 IAC 6-1-9

SECTION 1. 326 IAC 6-1-9 IS AMENDED TO READ AS FOLLOWS:

# 326 IAC 6-1-9 Dubois County

Authority: IC 13-17-3; IC 13-14-8

Affected: IC 13-11; 13-17

Sec. 9.

#### **DUBOIS COUNTY**

		1	JODOIS COUNT I				
			_	Emissions Limit			
Source	NEDS Plant ID	Point Input ID	Process	tons/yr	lbs/million BTU	grains/dscf	
Indiana Cabinet	<del>0028</del>	<del>1P</del>	Coal-Wood Boiler 7 MMBTU/Hr.	14.3	0.57	)	
Indiana Chair Dimensio	n 0036	2P	Coal-Wood/Bark Boiler 5 MMBTU/Hr.	9.0	0.60	)	
Indiana <del>Desk</del> Furniture Industries	0027	3P	Wood/Bark Boiler 7 MMBTU/Hr.	5.2	0.60	)	
Huntingburg Wood Products Styline Industries, Plant #8	0035	4P	Coal-Wood Boiler 7 MMBTU/Hr.	2.8 9.0	0.340 0.60	)	

					drm97003 Dubois County March 4, 1998	
Forest Wood Products No. 1	0033	5P	Wood Boiler 5 MMBTU/Hr.	2.1 9.0	0.140 <b>0.60</b>	)
Dolly Madison Plant No. 3	0019	6 <del>P</del>	Coal-Wood Boiler  1 MMBTU/Hr.	<del>2.1</del>	0.60	)
Dolly Madison Plant No. 5	0016	8P	Coal Boiler 6 MMBTU/Hr.	9.4	0.60	)
Dolly Madison Plant No. 4	0017	9P	Coal-Wood/Bark Boiler 5 MMBTU/Hr.	9.4	0.60	)
Jasper Laminates, Plant #1 - Division of Kimball	0042	10P	Wood-Oil-Waste Solvent Wood-Wood Waste Boiler No. 1 23 20.5 MMBTU/Hr.	6.9	0.10 0.60	)
		31P	Oil Natural Gas Boiler No. 2 16 16.8 MMBTU/Hr.	<b>= 0.2</b>	0.003	0.01
Jasper Cabinets No. 2 Corporation	0004	11p	<del>Coal-</del> Wood Boiler <b>3 5.3</b> MMBTU/Hr.	7.6	0.60	)
•			Wood Boiler 6.7 MMBtu/Hr	7.6	0.60	
Jasper Desk	007	12P	Coal-Wood Boiler 8 MMBTU/Hr.	14.6	0.60	)
Jasper Wood Products	0038	13P	Coal-Wood Boiler No. 1	1.04 <b>9.0</b>	<del>0.060</del> <b>0.60</b>	)
		14P	Coal-Wood Boiler No. 2106 MMBTU/Hr.	3.1 9.0	0.070 0.60	)
Jasper Stylemasters 15th and Cherry Artec	0011	15P	Wood Chip Boiler 24 14 MMBTU/Hr.	2.8 12.0	0.060 0.60	)
Jasper Office Furniture Co., Inc., Plant #1	009	16P	Coal & Wood Boiler 11 MMBTU/Hr.	23.6	0.60	)
Jasper Seating	0010	17P	Coal-Wood/Bark Boiler 7 MMBTU/Hr.	17.7	0.60	)
<del>Jasper Table</del>	0012	<del>18P</del>	<del>Coal Boiler</del> <del>3 MMBTU/Hr.</del>	<del>2.1</del>	0.60	)

					March 4, 1998	
Jasper Veneer	0037	19P	Boiler No. 1 Coal, Wood/Bark 5 MMBTU/Hr.	9.4	0.6	)
		20P	Boiler No. 2, Coal-Wood/Bark 5 MMBTU/Hr.	8.7	0.6	)
Hoosier Desk	0003	21P	Coal-Wood Fired Boiler 5 MMBTU/Hr.	10.1	0.60	)
Jasper Turning Artec	0026		Boilers Exhaust Through Identical Stacks			
		<del>22P</del>	Coal Boiler No. 1  1 MMBTU/Hr.	<del>1.7</del>	0.60	)
		23P	Coal Boiler No. 2 1 MMBTU/Hr.	1.4	0.60	)
Jasper Novelty- Furniture Plt. No. 1	0008	24P	Coal Boiler 5 MMBTU/Hr.	<del>3.5</del>	0.60	)
Jasper Novelty- Furniture Plt. No. 2.	0032	25P	Coal-Fired Boiler  1 MMBTU/HR.	2.1	0.450	)
Jasper Novelty Furniture Plt. No. 3 Jasper Furniture 30th St.	0041	<del>26P</del>	Wood Boiler 4 MMBTU/Hr.	1.0	0.180	)
Jasper Cabinet Jasper Corp Kimball International	0006	<del>27P</del>	Coal & Wood Boiler 3 MMBTU/Hr.	<del>7.6</del>	0.60	)
Jasper Mun. Electric	0002	28P	Coal Boiler 192 MMBTU/Hr.	265.6	0.350	)
Jasper Chair	0005	29P	Coal Wood Boiler 6 18 MMBTU/Hr.	15.6	0.60	)
Jasper Veneer	0037	30P	Coal-Wood/Bark Boiler No. 3 14 MMBTU/Hr.	<del>7.6</del>	0.60	)
Hoosier Desk	0003	111	Wood Working	4.6		
Jasper Seating	0010	107	Wood Working	4.4		
Jasper Cabinet No. 2	0004	102	Wood Working	1.0		

Jasper Desk	0007	107	Wood Working	3.9
Jasper Chair	0005	107	Wood Working	.7
Indiana Desk	0027	107	Wood Working	5.4
Indiana Chair	0036	107	Wood Working	.4
Jasper Office Furniture	0009	107	Wood Working	1.2
Jasper Wood Products	0038	107	Wood Working	5.3
Jasper Veneer	0037	107	Wood Working	2.6
Jasper Laminates	0042	104	Wood Working	2
Forest Products No. 1	0033	8	Wood Working	4.2
Jasper Cabinet No. 1	0006	111	Wood Working	5
Jasper Stylemaster	0011	111	Wood Working	2
<b>Dubois County Farm Bure</b>	au 0014	22	Grain Elevator	348
Coop.				

(Air Pollution Control Board; 326 IAC 6-1-9; filed Mar 10, 1988, 1:20 pm: 11 IR 2429)

# **Notice of Public Hearing**

Under IC 4-22-2-24, IC 13-14-8-6, and IC 13-14-9, notice is hereby given that on May 6, 1998, at 1:00 p.m., at the Indiana Government Center-South, 402 West Washington Street, Conference Center Room A, Indianapolis, Indiana, the air pollution control board will hold a public hearing on amendments to 326 IAC 6-1-9.

The purpose of this hearing is to receive comments from the public prior to final adoption of these rules by the board. All interested persons are invited and will be given reasonable opportunity to express their views concerning the proposed amendments. Oral statements will be heard, but for the accuracy of the record, all comments should be submitted in writing. Procedures to be followed at this hearing may be found in the April 1, 1996 Indiana Register, page 1710 (19 IR 1710).

Additional information regarding this action may be obtained from Roger Letterman, Rules Development Section, Office of Air Management, (317) 232-8342 or (800) 451-6027, ext. 2-8342 (in Indiana).

Individuals requiring reasonable accommodations for participation in this event should contact the Indiana Department of Environmental Management, Americans with Disabilities Act coordinator at:

Attn: Sandy Meanor, ADA Coordinator Indiana Department of Environmental Management 100 North Senate Avenue P.O. Box 6015 Indianapolis, Indiana 46206-6015

or call (317) 233-1785 (V) or (317) 232-6565 (TDD). Please provide a minimum of 72 hours' notification.

Copies of these rules are now on file at the Office of Air Management, Indiana Department of Environmental Management, Indiana Government Center-North, 100 North Senate Avenue, Tenth Floor East and Legislative Services Agency, Indiana Government Center-South, 302 West Washington Street, Room E011, Indianapolis, Indiana and are open for public inspection.

Felicia R. George Assistant Commissioner Office of Air Management